



ANALIZA BIAŁEK



100007762

## Laboratory of Analysis

**Client:** Hepius Shop  
**Order number:** 100007762  
**Name:** STROMUSC DP100  
**Number of samples:** 1 vial

**Batch number:** -----  
**Recive date:** 2025-04-16  
**Start date:** 2025-04-25  
**End date:** 2025-04-28

## Sample identification

Substance	Method of taking a sample	Form
Drostanolone Propionate	Sample provided by customer	Transparent liquid in a glass vial


## Results

Substance	Sample name	Content	Purity
Drostanolone Enanthate	STROMUSC DP100 100MG/ML	109,89mg/ml	-----

## Research comment

The test sample was applied in the amount of 20 µl to the BioBasic 8 Thermo Scientific column. During the analysis with the method a linear gradient in the solutions of H2O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its concentration, when compared to the reference chromatogram, is 109,89mg/ml. The measurement error is + - 1mg. The actual state of the sample sent before the test is presented on the photo below

## Photo of the test sample



## Password

D93MA948

**Analiza Białek sp. z o.o.**  
**KRS:** 0000966168  
**NIP:** 8992922970  
**REGON:** 521751875

**Headquarters and Laboratory:**  
ul. Duńska 9, 54-427 Wrocław  
Budynek DELTA

**Lab technician:**  
Analysis and research specialist  
mgr Arkadiusz Zajac




ANALIZA BIAŁEK



100007762

## Chromatogram



## Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	60%	40%
2min	60%	40%
27min	5%	95%
30min	5%	95%

## Password

D93MA948

**Analiza Białek sp. z o.o.**

**KRS:** 0000966168

**NIP:** 8992922970

**REGON:** 521751875

**Headquarters and Laboratory:**

ul. Duńska 9, 54-427 Wrocław  
Budynek DELTA

**Lab technician:**

Analysis and research specialist  
mgr Arkadiusz Zajac